

PATENT

KON-111 DIV CON

DENTAL RESTORATIVE AND METHOD OF RESTORING A TOOTH

Related Application

[0001] This application is a continuation of Divisional application Serial No. 09/541,639 filed April 3, 2000 (Case KON-111 DIV), which is a divisional application from Serial No. 09/274,710 filed March 23, 1999 of which claims the benefit of U.S. Provisional Application Serial No. 60/079,777 filed on March 27, 1998.

Technical Field

[0002] The invention concerns a self-curing dental restorative, which polymerizes after application of a self-curing dental restorative material that comprises a metal-based redox-initiator system without mixing of both systems.

Background of the Invention

[0003] Presently, the dental treatment of cavities of the teeth usually includes using dental composites, compomers or glass ionomers. The use of dental composites and compomers is connected with the application of the adhesive technique. Commonly, both adhesive and dental restorative materials are cured by irradiation with visible light.

Dental composites have numerous advantages: high mechanical strength, excellent esthetic properties and a high abrasion resistance. These positive properties are complemented by the fluoride releasing properties of compomers.

[0004] The use of glass ionomers is advantageous at least in part because they are self-adhesive, biocompatible and usable without requiring irradiation by light. Furthermore, they can release fluoride ions. Otherwise, glass ionomers have a relatively low flexural strength and a high abrasion.

[0005] In order to develop a self-curing restorative material with improved mechanical properties, high abrasion resistance and fluoride release a thermal setting adhesive is required.

[0006] Recently, a dual-curing adhesive comprising sulfinates and champhor quinone/amines as polymerization initiator was developed by Dentsply Caulk, Milford DE.

[0007] Generally, a self-curing material is composed of at least of two components, due to the fact that the parts of the initiator system must be distributed in these components.

Summary of the Invention


[0008] It is an object of the present invention to provide a dental adhesive material.

[0009] It is another object of the invention to provide such a material that is self-curing.

[0010] These and other objects of the invention which shall become apparent from the present discussion and the following specification are accomplished by the invention as hereinafter described and claimed.

[0011] In general, a self-curing dental adhesive, comprises:

- (i) at least a polymerizable resin
- (ii) at least a polymerizable monomer
- (iii) at least a polymerizable monomer with an acidic moiety selected from the group consisting of:




and salts thereof

- (iv) at least a stabilizer,
- (v) at least an organic solvent or water in a content of 10 to 90 percent weight of the adhesive and,
- (vi) at least one part of a thermal redox initiator system or a photoinitiator,

wherein the dental adhesive is polymerizable immediately after application of a self-curing dental material that comprises a redox-initiator system,

and wherein the dental adhesive has an adhesion to dentine of at least about 7 MPa.

[0012] There is also provided according to the invention, a method of restoring a tooth that includes applying a dental adhesive to the tooth, wherein the dental adhesive is self-curing and includes a redox initiator. Before the self-curing dental adhesive cures, there is applied to the tooth a curable dental restorative material, wherein the curable dental restorative material includes at least one polymerizable monomer having an acidic moiety selected from the group consisting of




and V. salts of I, II, III or IV. The curable dental material further includes a thermal redox initiator or a photoinitiator. The method also includes curing the dental adhesive and the curable dental restorative material substantially simultaneously; such that after curing, the dental restorative material has an adhesion to dentine of greater than about 7 MPa.

Preferred Embodiments for Carrying Out the Invention

[0013] The present invention includes a self-curing dental adhesive that comprises at least a polymerizable resin, a polymerizable monomer, a

polymerizable monomer with at least an acidic moiety selected from the group



or salts thereof, a stabilizer, an organic solvent and/or water in a content of 10 to 90 percent, and at least one part of a thermal redox initiator system and/or a photoinitiator that polymerizes immediately after application of a self-curing dental material that comprises a redox-initiator system.

[0014] The adhesion of the invented self-curing adhesive is at least about 7 MPa, preferably 9 MPa, most preferably 11 MPa.

[0015] Preferably, the self-curing dental adhesive contains a salt of a metal or an organo-metalic compound, an amine or a peroxide. Usable metal salts or organo-metalic compounds are selected from the group consisting of copper, silver, cerium, iron, chromium, nickel, vanadium and manganese. Frequently, the metal containing compound is an acetate, salicylate, naphenoate, thiourea complex, acetylacetonate or ethylene tetraacidic acid.


[0016] The preferred amines are alkyl aryl amines, dialkyl aryl amines, trialkyl amines or derivatives thereof.

[0017] Preferred peroxides include for example, diacyl peroxides, peresters, perketales, peroxy dicarbonates, dialkyl peroxides, ketone


peroxides or alkyl hydroperoxides, such as benzoylperoxide, 2,5-dimethyl-2,5-di(benzoylperoxy)hexane, tert.-butylamyl peroxide, di-(tert.-butyl) peroxide, cumenhydroperoxide, tert.-butylhydroperoxide, tert.-butylperoxy-(3,5,5-tri-methylhexanoate) and tert.-butylperoxy-2-ethylhexyl carbonate, laurylperoxide.

[0018] For example a dental adhesive comprising cupric acetylacetonate is applied in a cavity. The cavity is then filled by using a thermal setting material, that comprises cupric thiourea. Both materials polymerize together, whereby the self-curing restorative material also initiates the polymerization of the bonding material. The adhesion of this adhesive/restorative material is 9.0 ± 1.5 MPa.


[0019] According to the invention, a method of restoring a tooth includes applying a dental adhesive to the tooth, wherein the dental adhesive is self-curing and includes a redox initiator. Before the self-curing dental adhesive cures, there is applied to the tooth a curable dental restorative material, wherein the curable dental restorative material includes at least one polymerizable monomer having an acidic moiety selected from the group consisting of




I.



II.



III.



IV.

and V. salts of I, II, III or IV. The curable dental material further includes a thermal redox initiator or a photoinitiator. The method also includes curing the dental adhesive and the curable dental restorative material substantially simultaneously; such that after curing, the dental restorative material has an adhesion to dentine of greater than about 7 MPa.

Comparative Example 1

Dental adhesive

[0020] Equal amounts of Prime & Bond 2.1™ (Dentsply, De Trey, Constance) and the Self Cure Activator (Dentsply, Caulk, Milford DE) were mixed.

Self-curing dental restorative material

[0021] The used dental restorative material is composed of a powder and a liquid. These have the following composition:

Powder:

[0022] 50.3639 g silylated Strontium-alumo-silicate glass, 2.1546 g silylated Strontium-alumo-silicate glass comprising 2 wt-% cupric thiourea complex and 1.0773 g silylated Strontium-alumo-silicate glass containing 10 wt-% ascorbic acid were mixed homogeneously.

Liquid:

[0023] 18.0000 g of dipentaerythritolpentaacrylate monophosphate and 2-(dimethyl) aminoethyl methacrylate (**AP-1**) comprising 30 wt-% diethylene glycol dimethacrylate, 4.5000 g of macromonomer **M-1** (synthesized by reaction of two mols of methacrylic acid, two mols of 2,2-bis-[4-(2,3-epoxypropoxy)-phenyl]-propane and one mole of adipic acid) comprising 30 wt-% diethylene glycol dimethacrylate), 10.6328 g of diethylene glycol dimethacrylate, 0.0167 g of N,N-bis(β -hydroxyethyl)-p-toluidine, 0.5049 g of tert.-butyl peroxy benzoate, 0.0113 g of 2,6-di-tert.-butyl-p-cresol were mixed homogeneously.

Application

[0024] Immediately before use the dental adhesive is applied. Thereafter the restorative material obtained by homogeneous mixture of powder and liquid, in the weight (wt.)-ratio 3.2:1.0, was applied. The working time is 3.75 minutes and the setting time is 3.00 minutes. The adhesion to dentine was measured to be 8.58 ± 1.32 MPa. The dental restorative material shows the following mechanical properties: compressive strength of 256.6 ± 11.9 MPa, a flexural strength of 87.0 ± 3.4 and an E-modules of 7780 ± 785 MPa.

Example 1

Dental adhesive A

[0025] 3.2419 g of 7,7,9,63,63,65-hexamethyl-4,13,60,69-tetraoxo-3,14,19,24,29,34,39,44,49,54, 59,70-dodecaneoxa-5,12,61,68-tetraaza doheptaconta diyl -1,72- dimethacrylate (R 5621), 3.7406 g of dipentaerythrol pentaacrylate monophosphate, 8.2819 g of 2,7,7,9,15-pentamethyl-4,13-dioxo-3,14-diox-5,12-diaza-hexadecanediyl-1,16-dimethacrylate, 0.4417 g of bisphenol-A-dimethacrylat, 0.1496 g of cetylaminhydrofluorid, 0.0377 g of 2,6-di-tert.-butyl-p-cresol and 0.0330 g of cupric-II-acetylacetonate were dissolved in 59.9736 g of acetone.

Self-curing dental restorative material

[0026] The dental restorative material is composed of powder and liquid as described in comparative example 1.

Application

[0027] Immediately before use the dental adhesive is applied. Thereafter the restorative material obtained by homogeneous mixed of powder and liquid, in the wt.-ratio 3.2:1.0, was applied. The working time is 3.75 minutes and the setting time is 3.00 minutes. The adhesion to dentine was measured to be 9.0 ± 1.5 MPa. The dental restorative material shows the following mechanical properties: compressive strength of 256.6 ± 11.9

MPa, a flexural strength of 87.0 ± 3.4 and an E-modules of 7780 ± 785 MPa.

Example 2

Dental adhesive A

[0028] 4.7593 g dipentaerythrol pentaacrylate monophosphate, 7.7083 g 2,7,7,9,15-pentamethyl-4,13-dioxo-3,14-diox-5,12-diaza-hexadecanediyl-1,16-dimethacrylate, 2.2130 g of 7,7,9,63,63,65-hexamethyl-4,13,60,69-tetraoxo-3,14,19,24,29,34,39,44,49,54, 59,70-dodecaneoxa-5,12,61,68-tetraaza doheptacontadiyl-1,72-dimethacrylate (R 5621), 1.3177 g trimethylolpropane triacrylate, 2.8213 g diethylene glycol dimethacrylate, 0.0997 g cupric acetyl acetate, 0.1922 g 2,6-di-tert.-butyl-p-cresol, 0.1922 g cetylaminhydrofluorid and 1.6952 g of a nanofiller (av. particle size 7 nm), were dissolved in 79.0011 g of acetone.

Self-curing dental restorative material

[0029] The dental restorative material is composed of powder and liquid as described in comparative example 1.

Application

[0030] Immediately before use the dental adhesive is applied. Thereafter the restorative material obtained by homogeneous mixed of powder and liquid, in the wt.-ratio 3.4:1.0, was applied. The working time is 3.25

minutes and the setting time is 3.00 minutes. The adhesion to dentine was measured to be 11.1 ± 1.8 MPa.

Example 3

Dental adhesive A

[0031] 4.7137 g dipentaerythrol pentaacrylate monophosphate, 7.6345 g 2,7,7,9,15-pentamethyl-4,13-dioxo-3,14-diox-5,12-diaza-hexadecanediyl-1,16-dimethacrylate, 2.1918 g of 7,7,9,63,63,65-hexamethyl-4,13,60,69-tetraoxo-3,14,19,24,29,34,39,44,49,54, 59,70-dodecaneoxa-5,12,61,68-tetraaza doheptacontadiyl-1,72-dimethacrylate (R 5621), 1.3051 g trimethylolpropane triacrylate, 2.7943 g diethylene glycol dimethacrylate, 1.0559 g p-dimethyl benzoic acid ethylester, 0.1904 g 2,6-di-tert.-butyl-p-cresol, 0.1904 g cetylaminhydrofluorid and 1.6790 g of a nanofiller (av. particle size 7 nm), were dissolved in 78.2450 g of acetone.

Self-curing dental restorative material

[0032] The dental restorative material is composed of powder and liquid as described in comparative example 1.

Application

[0033] Immediately before use the dental adhesive is applied. Thereafter the restorative material obtained by homogeneous mixed of powder and liquid, in the wt.-ratio 3.4:1.0, was applied. The working time is 3.25

minutes and the setting time is 3.00 minutes. The adhesion to dentine was measured to be 8.9 ± 2.6 MPa.

Example 4

Dental adhesive A

[0034] 3.2419 g of 7,7,9,63,63,65-hexamethyl-4,13,60,69-tetraoxo-3,14,19,24,29,34,39,44,49,54, 59,70-dodecaneoxa-5,12,61,68-tetraaza doheptacontadiyl -1,72- dimethacrylate (R 5621), 3.7406 g of dipentaerythrol pentaacrylate monophosphate, 8.2819 g of 2,7,7,9,15-pentamethyl-4,13-dioxo-3,14-diox-5,12-diaza-hexadecanediyl-1,16-dimethacrylate, 0.4417 g of bisphenol-A-dimethacrylat, 0.1496 g of cetylaminhydrofluorid, 0.0377 g of 2,6-di-tert.-butyl-p-cresol and 0.2283 g of cupric-II-acetylacetonate were dissolved in 59.9736 g of acetone.

Self-curing dental restorative material

Powder:

[0035] 89.10 g silylated Strontium-alumo-silicate glass, 10.10 g OX-50 organic filler, 1.00 g Aerosil R-972, 0.02 g cupric acetylacetonate and 0.15 g ascorbyl palmitate were mixed homogeneously.

Liquid:

[0036] 10.00 g OEMA, 10.00 g dipentaerythritolpentaacrylate monophosphate, 30.00 g diethylene glycol dimethacrylate, 50.00 g 2,2-bis-[p-(2-hydroxy-3-methacryloyloxypropoxy)-phenyl]-propane, 2.00 g distilled water and 0.20 g tert.-butyl peroxy benzoate were mixed homogeneously.

[0037] Apply one coat of the primer to etched dentine, air dry. Triturate powder and liquid of the restorative in capsule at 3.75:1 ratio for 12 seconds. Apply the paste to dentine in a post. Let the assembly self cure at 37°C. Then stored in 37°C water for 24 hours. Test sheer bond strength on Instron. The average bond strength was 9.18 Mpa.

[0038] It is evident therefore, that the objects of a a self-curing dental adhesive and a method of restoring a tooth are carried out by the invention as herein described. All possible aspects of the invention beyond the best mode have not been necessarily described, and the scope of the invention shall only be determined by the following claims.